





上语白蝶管业科技股份有限公司 SHANGHAI WHITE BUTTERFLY PIPE TECHNOLOGY CO., LTD. 地址: 上海市奉贤区金汇镇明星村799号 邮编: 201405 电话: (021)57586426 57583331 传真: (021)61294395-601 57584447 邮箱: shwb@chinappr.com































#### 企业简介 Brie introduction

上海白蝶管业科技股份有限公司是一家专业从事塑料管道的生产、销售的股份制企业,在生产塑料管道方 面有近四十年的历史。1997年底在国内率生开发生产了"冷热水用无规共聚聚丙烯(PP-R)管道"产品、广泛应 用于工业及民用冷热水给水系统、纯净饮用水系统、采暖及中央空调等系统,是传统金属管道的理想替代产品。

公司采用德国进口克劳斯玛菲、巴顿菲尔和奥地利辛辛那提等全自动在线检测管材挤出生产线和日本东芝、 香港奧克兰、广东震德、宁波海天等注塑设备,同时配备有多合进口管件焊制设备及检测试验设备,可生产口径 自16mm-450mm多种压力等级的管材和相配套的管配件。公司目前主要有PP-R产品、PE给水、PVC-U排水管、 PVC-U电工套管、PE燃气管产品、PE-RT采暖管产品、PP-R稳态复合管、3S聚丙烯静音排水管等。

公司作为中国塑料管道专业委员会副理事长单位,全国塑料制品标准化技术委员会(TC48/SC3)核心委员单 位, 在把产品推向市场的同时, 注重了配套的应用技术和相关产品的研究开发, 先后完成了PP-R产品国家标准 的制订、编制了"PP-R管道设计、施工、验收规范"、编制PP-R管施工图集、编制了PP-R空调管施工规程

公司从投产塑料管道开始就把产品质量放在生产经营工作首位,从93年开始,已连续多年通过了国家和上海 地方的产品质量监督抽查,产品质量稳定、可靠,并以遍布全国的营销网络为基础建立了售后服务体系网络,开 设了800-820-0166的全国服务热线,以保证跟广大用户的直接联系,在用户中有很高的信任度。先后获得上海 市著名商标和上海名牌产品称号。

Shanghai White Butterfly Technology Co., Ltd. is a joint-stock enterprise specialized in producing and selling the plastic pipelines, with over 20 years history in producing such pipelines. At the end of 1997, the company firstly development the PP-R pipeline for water supply at home, and the products have been extensively applied to industrial and hot water supply systems, clean drinking water systems, heating systems, air conditioner systems, ect., as the ideal products taking the place of traditional metallic pipelines.

The company adopts the imported full-automatic online detection pipe extrusion production lines from Germany KraussMaffei, Battenfeld, Austria Cincinnati and injection moulding equipment of Japan Toshiba, Hongkong Auckland, Guangdong Chende and Ningbo Haitian, etc. as well as imported pipe fitting welding equipment and checkout equipment and so on. White Butterfly has the full ability to produce pipe and pipe fittings of caliber 16mm-450mm and various pressure classes, at present, it has owned the products including PP-R products, PE water supply pipes, PVC-U water supply pipes, PVC-U drainage pipes, PVC-U electrical conduits, fuse pipes, PE-RT heating pipes, PP-R static composite pipes, 3S PP sound proof pipes for drainage and so on.

As a vice board chairperson unit of China Plastics Piping Association, and member unit of National Technical Committee 48 on Plastic Products of Standardization Administration of China (TC48/SC3), the company not only lays stress on pushing products to the market, but also pays attention to development of supporting technologies and relevant products, and has successfully finished the preparation of national standard of PP-R products, compilation of "code for design, installation and acceptance of PP-R pipelines", compiltion of drawing collection of installation of PP-R pipelines, compilation of code for installation of PP-R air-conditioning pipelines, etc.

Since put into operation of plastics pipelines, the company placed the quality at first position of production management, passed the national and local quality supervision and inspection successively since 1993. The company boasts of stable and reliable product quality, has established an after-sale service network on the basis of marketing network that covers the whole country, set up a national service hotline 800-820-0166 for guaranteeing direct contact with users, all of these enable the company to enjoy high trust of users. Besides, the company has been awarded the honor of Shanghai Famous Brand, National Inspection-free Products and Shanghai Brandname

### 目 录 Contents

# PVC-U

#### 排水管 PIPE SYSTEM



**PVC-U** 



P. 02-06



















## PVC-U排水管材 PVC-U drainage pipe GB/T 5836.1-2006

规格 Specification mm	包装数量 Amount of packing m/件(letter)
50 × 2.0	
75×2.3	
110×3.2	
160 × 4.0	
*200 × 4.9	
*250 × 6.2	
*315×7.8	
	Specification mm  50 × 2.0  75 × 2.3  110 × 3.2  160 × 4.0  *200 × 4.9  *250 × 6.2

雨水管材 Rainwater pipe QB/T2480-2000	规格 Specification mm	包装数量 Amount of packing m/件(letter)
	50 × 1.8	
	75×1.9	
	110×2.1	
	160×2.8	
A.		

双壁中空螺旋消音管材 Double-wall pipe hollow spiral silencers	规格 Specification mm	包装数量 Amount of packing m/件(letter)
	75	
	110	
	*160	

单壁螺旋消音管材 Single-walled spiral pipe silencer Q/TGNK04-2002	规格 Specification mm	包装数量 Amount of packing m/件(letter)
	75	
	110	
	160	
S do d Pulculated		

# PVC-U排水管件 Series of PVC-U Fitting GB/T 5836.2-2006

45° 弯头 45° Bend	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	130
6	75	88
	110	30
	160	12
	*200	4

45° 弯头带口 45° Bend with I/O	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	110
	75	78
	110	28
	*160	9
9	*200	4

# PVC-U排水管件 Series of PVC-U Fitting GB/T 5836.2-2006

90° 弯头 90° Bend	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	100
	75	60
	110	20
	160	8
	*200	3

90° 夸头(带口) 90° Bend with I/O	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	75
	75	50
9	110	20
	160	8
	*200	3

顺水三通 Sweep junction	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	70
	75	45
	110	15
	160	6
	*200	2

顺水异径三通 Reducing Sweep Junction	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	75 × 50	60
	110×50	30
4110	110×75	20
Control of the last of the las	160×110	8
	*200 × 110	3
	*200 × 160	2

45° 斜三通 45° Y-junction	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	60
	75	35
	110	12
	*160	4

斜四通 Cross Y-Junction	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	*50	80
120	*75	24
	*110	10

45° 异径斜三通 Reducing Y-Junction	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	75 × 50	56
	110×50	20
	110×75	16
	*160 × 110	4
	*200 × 160	2

立管检查口 Testing Opening	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	58
	75	18
	110	8
4	160	6
	*200	3





## PVC-U排水管件 Series of PVC-U Fitting GB/T 5836.2-2006

瓶形三通 Bottleshaped tee	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	110×50	18
	110×75	18


顺水四通 Double Sweep Junction	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	*50	90
	*110	9

异径四通 Reducing double sweep junction F/F,M/F	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	*75×50	40
	*110×50	15
	*110×75	12
	*160 × 110	3

便器连接件 Off set pan collar	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	*110	35



P型存水弯(无口) P bend without mouth	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	45
	75	30
	110	10



P型存水弯(带口) Adjustable P Trap with I/O	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	45
	75	30
	110	10

## PVC-U排水管件 Series of PVC-U Fitting GB/T 5836.2-2006

透气帽 Vent.Cowl	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	*50	1000
	75	224
	110	90
	*160	50

清扫口 Access cap and plug	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	500
( -	75	288
	110	105
	*160	35

雨水斗 The rainwater is struggled against	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	110	21
	*160	8

雨水管接头 Rain water pipe fitting	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	*110	90

	piece/carton
*75×75	12
*110×110	7
*110×75	8
	*110×110

墙卡 Collar bracket	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
12	50	250
	75	150
	110	80
M.	160	30

吊卡 Elevators	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	300
	75	150
	110	80
	160	30

直角四通	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	110	10





## PVC-U排水管件 Series of PVC-U Fitting GB/T 5836.2-2006

管套 Socket	规 格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	210
	75	130
	110	52
	160	18
	*200	6

偏心管套 Reducing bush	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	75×50	350
	110×50	120
	110×75	120
	160×110	47
	*200 × 160	28

异径管套 In charge of set differently directly	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	$75 \times 50$	240
	110×50	80
	110×75	80
	*160×110	28

伸缩节 Expansion Joint	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	115
	75	78
	110	33
	160	12
	*200	8

防臭地漏(两用) Grating	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	75
E-LULLE -	*75	48

普通地漏 Grating	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	50	240

螺旋消音三通 Spiral subdues the sound three direct links	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	*75	45
	*110	15
	*75×50	60
	*110×50	30
A Part	*110×75	20
	*160 × 110	8

排水胶水 Glue of water drainage	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	0.35Kg	36

# PVC-U电工套管、管件 PVC-U electrotechnical pipe,Fitting JG/T 3050-1998

轻型(205) Light(205)	规格 Specification mm	包装数量 Amount of packing 米/件 m/letter
	16	
11	20	
	25	
	32	
A STATE OF THE PARTY OF THE PAR	40	
	50	
6	63	
		.3

规格 Specification mm	包装数量 Amount of packing 米/件 m/letter
16	
20	
25	
32	
40	
50	
63	
	16 20 25 32 40 50

重型 Heavy-duty(405)	规格 Specification mm	包装数量 Amount of packing 米/件 m/letter
	16	
1	20	
A A A A A A A A A A A A A A A A A A A	25	
	32	
	40	
	50	
	63	

弹簧(重中轻型) Spring	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	16	
	20	
	25	
	32	

直接 Socket	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	16	
	20	
	25	
	32	
	40	

三通 Tee	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	16	
	20	
	25	
	32	

	包装数量 Amount of packing 只/箱 piece/carton
× 16	
×20	
×25	
×32	
×40	
	×20 ×25 ×32





# PVC-U电工管件 Series of PVC-U Fitting JG/T 3050-1998

弯头 Bend	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	16	
	20	
	25	
	32	

入盒锁扣 Grating	规 格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	16	
	20	
	25	
	25×20	
	32	

圆形灯头盒序列(单通至四通) Conduit Circular box series	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	16 一通	
	20一通	
	25一通	
	16二通	
	20二通	
	25二通	
	16三通	
	20三通	
	25三通	
	16四通	
•	20四通	
2	25四通	

		5
方形暗装盒 Surface Box	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	5cm	
	6cm	
0		
		-
2		

八角灯头盒 Octagonal lamp holder box	规格 Specification mm	包装数量 Amount of packing 只/箱 piece/carton
	5cm	
	6cm	

穿线管卡 Conduit Clip	规格 Specification mm	包装数量 Amount of packing 只箱 piece/carton
	16	
	20	
	25	